



杭州镭速清洗设备有限公司

Hangzhou Leisu Cleaning Equipment Co., Ltd

Address: No.86 HongDa Road, XiaoShan District, HangZhou City, ZheJiang Province, China, 311200

Website: <https://www.leisuwashco.com>

Mobile Phone: +8613453132341 (WhatsApp, Skype, Viber, Line, WeChat)

Email: Leisuwashco@gmail.com

Leisuwash Sword X1, X2 Automatic Car Wash Machine



Overview

Leisuwash Sword X1 touch free vehicle wash system provide customer a lower operating cost to deliver the best industry return on investment.

The proven design of Sword X1 was kept simple and easy to maintain, it's built of non-corrosive stainless steel body with galvanized frames and provide owners long life time using.

The standard package of Sword X1, X2 configured colorful lighting system, wheel and under chassis washing system, 360° detergent application and 360° high pressure washing.





Customers also could select magic shampoo , water wax system or air drying system as optional which are more value added, buy Sword series car wash machines optional items to improve your competitive advantage in car washing.






Sword X1, X2 wash systems suit for various auto dealers, car service shops, gas stations, and self-serve car washing, X2 provide a faster wash speed than X1.



User-Friendly Design

- * Automatic collision avoidance system
- * Faulty self detection
- * Data report



Leisuwash Sword X1 – International Suppliers

Leisuwash Sword series car wash machines adopt world-class technology with proven quality, most spare parts come from international famous brands, such as Taiwan WULI high pressure water pump, German Siemens motors, French Schneider electrical components, American SPRAY nozzles, American Deublin rotate joint, American Parker high pressure hose, Japan NSK bearings, German PEPPERL+FUCHS sensors, Taiwan Delta PLC control system, Taiwan AIRTEC pneumatic components, Italy SITI reducer. Reliable technology and quality can guarantee stable performance of wash machines.



German Siemens Motor, Taiwan WULI WH-10120 pump, Italy SITI reducer, German NORD IP65 waterproof motor



American PARKER high pressure hose, American SPRAY nozzles, Japan NSK bearings, 304 stainless steel rotate arm




Taiwan DELTA PLC, French SCHNEIDER inverter, French SCHNEIDER electricals, German PEPPERL+FUCHS sensors



American Deublin rotate joint, Taiwan AIRTEC air components, 304 stainless steel housing, Hot dip galvanized frames

Leisuwash Sword X1 – Convenient Installation

Sword series car wash machines is very convenient for both indoor and outdoor installation, can easily install at 4S car shops, car service shops, gas stations, and self-serve car wash places, machine required a space with length 6.5 meters, width 3.3 meters, 3 meters height.



Technical Parameters

Machine size	2680mm*910mm*670mm
Water pump size	1200mm*700mm*600mm
Rail length	6000mm
Min Mounting Dimensions (length*width*height)	6500mm*3000mm*3000mm
Max car wash size (length*width*height)	5900mm*2600mm*2000mm
Power Requirements	380V/16Kw, 50Hz/60Hz
Central processor	Industrial PLC dual core system
Drive System	Stepless frequency control
Detection system	Ultrasonic sensor system
Pre-soak consumption	100ML/Car
Water consumption	180L/Car
Electricity consumption	0.5 KW·H/Car

Leisuwash Sword X1 Automatic car wash demonstration video.

<https://youtu.be/88JnAc59LJc>

Leisuwash Sword X2 Automatic car wash demonstration video.

<https://youtu.be/MvkibExbxaM>

Packing details:

Polywood case for main machine: 3160*1265*1255mm

Polywood case for water pump system: 1350*890*640mm

Rails: 2pcs (6 meters)

Frames: 7pcs

Shipping weight: 1450kgs,

Shipping volume: 6CBM.

Delivery period:

15~20 days

Payment terms:

T/T or L/C

Shipping terms:

EXW, FOB or CIF

Cooperated International Brands:



(American Cat Pump for option)

Welcome to visit:

<https://www.leisuwashco.com>

for more videos and pictures.

China Hangzhou Leisuwash All Rights Reserved.